	Application No.	Applicant(s)
Notice of Allowability	10/076,355	YAMASHITA, TOMIO
	Examiner	Art Unit
	Hung Vu	2811
The MAILING DATE of this communication apper All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313 1. ☐ This communication is responsive to 11/4/04. 2. ☐ The allowed claim(s) is/are 1,2,4,6-10 and 12-14. 3. ☐ The drawings filed on 19 February 2002 are accepted by the drawings filed on 19 February 2002 are accepted by the Acknowledgment is made of a claim for foreign priority undependent and all bleeping filed copies of the priority documents have 2. ☐ Certified copies of the priority documents have 3. ☐ Copies of the certified copies of the priority documents have	(OR REMAINS) CLOSED in this apport of the appropriate communication GHTS. This application is subject and MPEP 1308. The Examiner. The Examiner. The Examiner of the application of t	plication. If not included n will be mailed in due course. THIS to withdrawal from issue at the initiative
International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" on the delow. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		complying with the requirements
5. A SUBSTITUTE OATH OR DECLARATION must be submit INFORMAL PATENT APPLICATION (PTO-152) which give	itted. Note the attached EXAMINEF reason(s) why the oath or declar	R'S AMENDMENT or NOTICE OF ation is deficient.
 6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. 		
Attachment(s) 1. Notice of References Cited (PTO-892) 2. Notice of Draftperson's Patent Drawing Review (PTO-948) 3. Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. ☐ Interview Summary Paper No./Mail Da 8), 7. ☑ Examiner's Amend	te

Examiner's Amendment

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. Thomas E. Brown, on 01/04/05.

The application has been amended as follows:

a. In claim 1, line 4, after "a lower dielectric layer arranged on", insert -- and in direct contact with--.

Conclusion

2. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Hung K. Vu whose telephone number is (571) 272-1666. The examiner can normally be reached on Mon-Thurs 6:00-3:30, alternate Friday 7:00-3:30, Eastern Time.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Eddie C. Lee can be reached on (571) 272-1732. The Central Fax Number for the organization where this application or proceeding is assigned is (703) 872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-0956.

Vu

January 4, 2005

Hung Vu

Primary Examiner